

CEILING MOUNTED WORK STATION BRIDGE CRANES - 2000# CAPACITY

BRIDGE LENGTH (L)	RUNWAY LENGTH	MODEL NUMBER	TRACK SERIES	TRACK MATL.	MAX. L1	BRIDGE								RUNWAY				
						T1	L3	L4	L6	H3	H3A	H4	H2	H1	L7	L8	HANGERS	
						in	in	ft	in	in	in	in	in	in	in	in	(See Note)*	
8'	11' 6"	GLC2000-8 (S or AL)-11.5 GLCS2000-8 (S or AL)-11.5 AL2000-8-11.5	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	6.5' 6.5' 6.5'	11-1/2 11-1/2 14-1/4	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	7-7/8 7-7/8 8-1/4	3-1/2 3-1/2 5-5/8	- 12 -	9 9 9	16-1/8 16-1/8 17	6@2.894# 4@3.137# 4@3.046#	
	23'	GLC2000-8 (S or AL)-23 GLCS2000-8 (S or AL)-23 AL2000-8-23	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	6.5' 6.5' 6.5'	11-1/2 11-1/2 14-1/4	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	7-7/8 7-7/8 8-1/4	3-1/2 3-1/2 5-5/8	- 12 -	9 9 13	16-1/8 16-1/8 17	10@2.894# 4@3.137# 4@3.046#	
	28'	GLCSL2000-8 (S or AL)-28	2000	Steel	25'	2-7/8	8-1/8	6.5'	11-1/2	23	27-5/8	7-7/8	3-1/2	15-3/8	13	16-1/8	4@3.308#	
	33'	GLC2000-8 (S or AL)-33 GLCS2000-8 (S or AL)-33 AL2000-8-33	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	6.5' 6.5' 6.5'	11-1/2 11-1/2 14-1/4	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	7-7/8 7-7/8 8-1/4	3-1/2 3-1/2 5-5/8	- 12 -	13 13 19	16-1/8 16-1/8 17	14@2.894# 6@3.137# 6@3.046#	
	34'	GLCSLX2000-8 (S or AL)-34	2000	Steel	30'	2-7/8	8-1/8	6.5'	11-1/2	25-5/8	30-1/4	7-7/8	3-1/2	18	13	16-1/8	4@3.402#	
	43'	GLC2000-8 (S or AL)-43 GLCS2000-8 (S or AL)-43 AL2000-8-43	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	6.5' 6.5' 6.5'	11-1/2 11-1/2 14-1/4	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	7-7/8 7-7/8 8-1/4	3-1/2 3-1/2 5-5/8	- 12 -	19 19 26	16-1/8 16-1/8 17	18@2.894# 6@3.137# 6@3.046#	
	53'	GLC2000-8 (S or AL)-53 GLCS2000-8 (S or AL)-53 AL2000-8-53 GLCSL2000-8 (S or AL)-53	2000 2000 2000 2000	Steel Steel Alum. Steel	6' 20' 20' 25'	2-7/8 2-7/8 2-5/8 2-7/8	8-1/8 8-1/8 8-1/8 8-1/8	6.5' 6.5' 6.5' 6.5'	11-1/2 11-1/2 14-1/4 11-1/2	11-1/8 19-5/8 25-3/8 23	15-3/4 24-1/4 -	7-7/8 7-7/8 8-1/4 7-7/8	3-1/2 3-1/2 5-5/8 3-1/2	- 12 -	19 19 30 19	16-1/8 16-1/8 17 16-1/8	22@2.894# 8@3.137# 8@3.046# 6@3.308#	
	63'	GLC2000-8 (S or AL)-63 GLCS2000-8 (S or AL)-63 AL2000-8-63	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	6.5' 6.5' 6.5'	11-1/2 11-1/2 14-1/4	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	7-7/8 7-7/8 8-1/4	3-1/2 3-1/2 5-5/8	- 12 -	26 26 36	16-1/8 16-1/8 17	26@2.894# 8@3.137# 8@3.046#	
	64'	GLCSLX2000-8 (S or AL)-64	2000	Steel	30'	2-7/8	8-1/8	6.5'	24	25-5/8	30-1/4	7-7/8	3-1/2	18	36	16-1/8	6@3.402#	
	78'	GLCSL2000-8 (S or AL)-78	2000	Steel	25'	2-7/8	8-1/8	6.5'	24	23	27-5/8	7-7/8	3-1/2	15-3/8	46	16-1/8	8@3.308#	
	83'	GLC2000-8 (S or AL)-83 GLCS2000-8 (S or AL)-83 AL2000-8-83	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	6.5' 6.5' 6.5'	24 11-1/2 14-1/4	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	7-7/8 7-7/8 8-1/4	3-1/2 3-1/2 5-5/8	- 12 -	46 46 46	16-1/8 16-1/8 17	34@2.894# 10@3.137# 10@3.046#	
	94'	GLCSLX2000-8 (S or AL)-94	2000	Steel	30'	2-7/8	8-1/8	6.5'	24	25-5/8	30-1/4	7-7/8	3-1/2	18	54	16-1/8	8@3.402#	
103'	GLC2000-8 (S or AL)-103 GLCS2000-8 (S or AL)-103 AL2000-8-103 GLCSL2000-8 (S or AL)-103	2000 2000 2000 2000	Steel Steel Alum. Steel	6' 20' 20' 25'	2-7/8 2-7/8 2-5/8 2-7/8	8-1/8 8-1/8 8-1/8 8-1/8	6.5' 6.5' 6.5' 6.5'	24 11-1/2 14-1/4 23	11-1/8 19-5/8 25-3/8 27-5/8	15-3/4 24-1/4 -	7-7/8 7-7/8 8-1/4 7-7/8	3-1/2 3-1/2 5-5/8 3-1/2	- 12 -	54 54 54 54	16-1/8 16-1/8 17 16-1/8	42@2.894# 12@3.137# 12@3.046# 10@3.308#		
124'	GLCSLX2000-8 (S or AL)-124	2000	Steel	30'	2-7/8	8-1/8	6.5'	24	25-5/8	30-1/4	7-7/8	3-1/2	18	54	16-1/8	10@3.402#		
10'	11' 6"	GLC2000-10 (S or AL)-11.5 GLCS2000-10 (S or AL)-11.5 AL2000-10-11.5	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	8' 8' 8'	24 17-5/8 17-5/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	8-7/8 8-7/8 13-5/8	3-1/2 3-1/2 11	- 12 -	9 9 9	16-1/8 16-1/8 17	6@2.903# 4@3.147# 4@3.056#	
	23'	GLC2000-10 (S or AL)-23 GLCS2000-10 (S or AL)-23 AL2000-10-23	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	8' 8' 8'	24 17-5/8 17-5/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	8-7/8 8-7/8 13-5/8	3-1/2 3-1/2 11	- 12 -	9 9 13	16-1/8 16-1/8 17	10@2.903# 4@3.147# 4@3.056#	
	28'	GLCSL2000-10 (S or AL)-28	2000	Steel	25'	2-7/8	8-1/8	8'	24	23	27-5/8	8-7/8	3-1/2	15-3/8	13	16-1/8	4@3.336#	
	33'	GLC2000-10 (S or AL)-33 GLCS2000-10 (S or AL)-33 AL2000-10-33	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	8' 8' 8'	24 17-5/8 17-5/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	8-7/8 8-7/8 13-5/8	3-1/2 3-1/2 11	- 12 -	13 13 19	16-1/8 16-1/8 17	14@2.903# 6@3.147# 6@3.056#	
	34'	GLCSLX2000-10 (S or AL)-34	2000	Steel	30'	2-7/8	8-1/8	8'	24	25-5/8	30-1/4	8-7/8	3-1/2	18	13	16-1/8	4@3.435#	
	43'	GLC2000-10 (S or AL)-43 GLCS2000-10 (S or AL)-43 AL2000-10-43	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	8' 8' 8'	24 17-5/8 17-5/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	8-7/8 8-7/8 13-5/8	3-1/2 3-1/2 11	- 12 -	19 19 26	16-1/8 16-1/8 17	18@2.903# 6@3.147# 6@3.056#	
	53'	GLC2000-10 (S or AL)-53 GLCS2000-10 (S or AL)-53 AL2000-10-53 GLCSL2000-10 (S or AL)-53	2000 2000 2000 2000	Steel Steel Alum. Steel	6' 20' 20' 25'	2-7/8 2-7/8 2-5/8 2-7/8	8-1/8 8-1/8 8-1/8 8-1/8	8' 8' 8' 8'	24 17-5/8 17-5/8 24	11-1/8 19-5/8 25-3/8 23	15-3/4 24-1/4 -	8-7/8 8-7/8 13-5/8 8-7/8	3-1/2 3-1/2 11 3-1/2	- 12 -	19 19 30 19	16-1/8 16-1/8 17 16-1/8	22@2.903# 8@3.147# 8@3.056# 6@3.336#	
	63'	GLC2000-10 (S or AL)-63 GLCS2000-10 (S or AL)-63 AL2000-10-63	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	8' 8' 8'	24 17-5/8 17-5/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	8-7/8 8-7/8 13-5/8	3-1/2 3-1/2 11	- 12 -	26 26 36	16-1/8 16-1/8 17	26@2.903# 8@3.147# 8@3.056#	
	64'	GLCSLX2000-10 (S or AL)-64	2000	Steel	30'	2-7/8	8-1/8	8'	24	25-5/8	30-1/4	8-7/8	3-1/2	18	36	16-1/8	6@3.435#	
	78'	GLCSL2000-10 (S or AL)-78	2000	Steel	25'	2-7/8	8-1/8	8'	24	23	27-5/8	8-7/8	3-1/2	15-3/8	46	16-1/8	8@3.336#	
	83'	GLC2000-10 (S or AL)-83 GLCS2000-10 (S or AL)-83 AL2000-10-83	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	8' 8' 8'	24 17-5/8 17-5/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	8-7/8 8-7/8 13-5/8	3-1/2 3-1/2 11	- 12 -	46 46 46	16-1/8 16-1/8 17	34@2.903# 10@3.147# 10@3.056#	
	94'	GLCSLX2000-10 (S or AL)-94	2000	Steel	30'	2-7/8	8-1/8	8'	24	25-5/8	30-1/4	8-7/8	3-1/2	18	54	16-1/8	8@3.435#	
103'	GLC2000-10 (S or AL)-103 GLCS2000-10 (S or AL)-103 AL2000-10-103 GLCSL2000-10 (S or AL)-103	2000 2000 2000 2000	Steel Steel Alum. Steel	6' 20' 20' 25'	2-7/8 2-7/8 2-5/8 2-7/8	8-1/8 8-1/8 8-1/8 8-1/8	8' 8' 8' 8'	24 17-5/8 17-5/8 24	11-1/8 19-5/8 25-3/8 23	15-3/4 24-1/4 -	8-7/8 8-7/8 13-5/8 8-7/8	3-1/2 3-1/2 11 3-1/2	- 12 -	54 54 54 54	16-1/8 16-1/8 17 16-1/8	42@2.903# 12@3.147# 12@3.056# 10@3.336#		
124'	GLCSLX2000-10 (S or AL)-124	2000	Steel	30'	2-7/8	8-1/8	8'	24	25-5/8	30-1/4	8-7/8	3-1/2	18	54	16-1/8	10@3.435#		

*This column provides the total number of support hangers with the corresponding vertical load applied by each support hanger (in pounds) based on the "L1" dimensions shown. Up to a 20" hanger drop will be provided by Gorbel. Additional hanger points or longer drops can be provided at an additional charge.

Gorbel Work Station Bridge Crane kits include: bridge, runways, hoist trolley, end trucks, end stops, flat wire festooning, festoon gliders (festoon trolleys on steel runway lengths greater than 63' and all aluminum systems), festoon stack-up section, splice joints and hanger brackets. Sway bracing is required on all systems except flush mounted systems (by others). Sway bracing kits are available but are not included in the crane kit.

Dimensions are for reference only and are subject to change without notice.

CEILING MOUNTED WORK STATION BRIDGE CRANES - 2000# CAPACITY

BRIDGE LENGTH (L)	RUNWAY LENGTH	MODEL NUMBER	TRACK SERIES	TRACK MATL.	MAX. L1	BRIDGE								RUNWAY				
						T1	L3	L4	L6	H3	H3A	H4	H2	H1	L7	L8	HANGERS (See Note)*	
						in	in	ft	in	in	in	in	in	in	in	in		
15'	23'	GLC2000-15 (S or AL)-23 GLCS2000-15 (S or AL)-23 AL2000-15-23	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	13' 13' 13'	24 24 24-3/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 13-5/8	3-1/2 3-1/2 11	- 12 -	9 9 13	16-1/8 16-1/8 17	10@2,960# 4@3,203# 4@3,082#	
	28'	GLCSL2000-15 (S or AL)-28	2000	Steel	25'	2-7/8	8-1/8	13'	24	23	27-5/8	14-7/8	3-1/2	15-3/8	13	16-1/8	4@3,382#	
	33'	GLC2000-15 (S or AL)-33 GLCS2000-15 (S or AL)-33 AL2000-15-33	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	13' 13' 13'	24 24 24-3/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 13-5/8	3-1/2 3-1/2 11	- 12 -	13 13 19	16-1/8 16-1/8 17	14@2,960# 6@3,203# 6@3,082#	
	34'	GLCSLX2000-15 (S or AL)-34	2000	Steel	30'	2-7/8	8-1/8	13'	24	25-5/8	30-1/4	14-7/8	3-1/2	18	13	16-1/8	4@3,477#	
	43'	GLC2000-15 (S or AL)-43 GLCS2000-15 (S or AL)-43 AL2000-15-43	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	13' 13' 13'	24 24 24-3/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 13-5/8	3-1/2 3-1/2 11	- 12 -	19 19 26	16-1/8 16-1/8 17	18@2,960# 14@3,203# 6@3,082#	
	53'	GLC2000-15 (S or AL)-53 GLCS2000-15 (S or AL)-53 AL2000-15-53	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	13' 13' 13'	24 24 24-3/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 13-5/8	3-1/2 3-1/2 11	- 12 -	19 19 30	16-1/8 16-1/8 17	22@2,960# 8@3,203# 8@3,082#	
	53'	GLCSL2000-15 (S or AL)-53	2000	Steel	25'	2-7/8	8-1/8	13'	24	23	27-5/8	14-7/8	3-1/2	15-3/8	19	16-1/8	6@3,382#	
	63'	GLC2000-15 (S or AL)-63 GLCS2000-15 (S or AL)-63 AL2000-15-63	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	13' 13' 13'	24 24 24-3/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 13-5/8	3-1/2 3-1/2 11	- 12 -	26 26 36	16-1/8 16-1/8 17	26@2,960# 8@3,203# 8@3,082#	
	64'	GLCSLX2000-15 (S or AL)-64	2000	Steel	30'	2-7/8	8-1/8	13'	24-3/8	25-5/8	30-1/4	14-7/8	3-1/2	18	36	16-1/8	6@3,477#	
	78'	GLCSL2000-15 (S or AL)-78	2000	Steel	25'	2-7/8	8-1/8	13'	24-3/8	23	27-5/8	14-7/8	3-1/2	15-3/8	46	16-1/8	8@3,382#	
	83'	GLC2000-15 (S or AL)-83 GLCS2000-15 (S or AL)-83 AL2000-15-83	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	13' 13' 13'	24-3/8 24-3/8 24-3/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 13-5/8	3-1/2 3-1/2 11	- 12 -	46 46 46	16-1/8 16-1/8 17	34@2,960# 10@3,203# 10@3,082#	
	94'	GLCSLX2000-15 (S or AL)-94	2000	Steel	30'	2-7/8	8-1/8	13'	24-3/8	25-5/8	30-1/4	14-7/8	3-1/2	18	54	16-1/8	8@3,477#	
103'	GLC2000-15 (S or AL)-103 GLCS2000-15 (S or AL)-103 AL2000-15-103	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	13' 13' 13'	24-3/8 24-3/8 24-3/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 13-5/8	3-1/2 3-1/2 11	- 12 -	54 54 54	16-1/8 16-1/8 17	42@2,960# 12@3,203# 12@3,082#		
103'	GLCSL2000-15 (S or AL)-103	2000	Steel	25'	2-7/8	8-1/8	13'	24-3/8	23	27-5/8	14-7/8	3-1/2	15-3/8	54	16-1/8	10@3,382#		
124'	GLCSLX2000-15 (S or AL)-124	2000	Steel	30'	2-7/8	8-1/8	13'	24-3/8	25-5/8	30-1/4	14-7/8	3-1/2	18	54	16-1/8	10@3,477#		
20'	23'	GLC2000-20 (S or AL)-23 GLCS2000-20 (S or AL)-23 AL2000-20-23	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	18' 18' 18'	24 24 27-3/4	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 13-1/8	3-1/2 3-1/2 13-1/8	- 12 -	9 9 13	16-1/8 16-1/8 17	10@2,973# 4@3,217# 4@3,107#	
	28'	GLCSL2000-20 (S or AL)-28	2000	Steel	25'	2-7/8	8-1/8	18'	24	23	27-5/8	14-7/8	3-1/2	15-3/8	13	16-1/8	4@3,424#	
	33'	GLC2000-20 (S or AL)-33 GLCS2000-20 (S or AL)-33 AL2000-20-33	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	18' 18' 18'	24 24 27-3/4	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 13-1/8	3-1/2 3-1/2 13-1/8	- 12 -	13 13 19	16-1/8 16-1/8 17	14@2,973# 6@3,217# 6@3,107#	
	34'	GLCSLX2000-20 (S or AL)-34	2000	Steel	30'	2-7/8	8-1/8	18'	24	25-5/8	30-1/4	14-7/8	3-1/2	18	13	16-1/8	4@3,518#	
	43'	GLC2000-20 (S or AL)-43 GLCS2000-20 (S or AL)-43 AL2000-20-43	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	18' 18' 18'	24 24 27-3/4	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 13-1/8	3-1/2 3-1/2 13-1/8	- 12 -	19 19 26	16-1/8 16-1/8 17	18@2,973# 6@3,217# 6@3,107#	
	53'	GLC2000-20 (S or AL)-53 GLCS2000-20 (S or AL)-53 AL2000-20-53	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	18' 18' 18'	24 24 27-3/4	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 13-1/8	3-1/2 3-1/2 13-1/8	- 12 -	19 19 30	16-1/8 16-1/8 17	22@2,973# 8@3,217# 8@3,107#	
	53'	GLCSL2000-20 (S or AL)-53	2000	Steel	25'	2-7/8	8-1/8	18'	24	23	27-5/8	14-7/8	3-1/2	15-3/8	19	16-1/8	6@3,424#	
	63'	GLC2000-20 (S or AL)-63 GLCS2000-20 (S or AL)-63 AL2000-20-63	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	18' 18' 18'	24 24 27-3/4	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 13-1/8	3-1/2 3-1/2 13-1/8	- 12 -	26 26 36	16-1/8 16-1/8 17	26@2,973# 8@3,217# 8@3,107#	
	64'	GLCSLX2000-20 (S or AL)-64	2000	Steel	30'	2-7/8	8-1/8	18'	27-3/4	25-5/8	30-1/4	14-7/8	3-1/2	18	36	16-1/8	6@3,518#	
	78'	GLCSL2000-20 (S or AL)-78	2000	Steel	25'	2-7/8	8-1/8	18'	27-3/4	23	27-5/8	14-7/8	3-1/2	15-3/8	46	16-1/8	8@3,424#	
	83'	GLC2000-20 (S or AL)-83 GLCS2000-20 (S or AL)-83 AL2000-20-83	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	18' 18' 18'	27-3/4 27-3/4 27-3/4	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 13-1/8	3-1/2 3-1/2 13-1/8	- 12 -	46 46 46	16-1/8 16-1/8 17	34@2,973# 10@3,217# 10@3,107#	
	94'	GLCSLX2000-20 (S or AL)-94	2000	Steel	30'	2-7/8	8-1/8	18'	27-3/4	25-5/8	30-1/4	14-7/8	3-1/2	18	54	16-1/8	8@3,518#	
103'	GLC2000-20 (S or AL)-103 GLCS2000-20 (S or AL)-103 AL2000-20-103	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	18' 18' 18'	27-3/4 27-3/4 27-3/4	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 13-1/8	3-1/2 3-1/2 13-1/8	- 12 -	54 54 54	16-1/8 16-1/8 17	42@2,973# 12@3,217# 12@3,107#		
103'	GLCSL2000-20 (S or AL)-103	2000	Steel	25'	2-7/8	8-1/8	18'	27-3/4	23	27-5/8	14-7/8	3-1/2	15-3/8	54	16-1/8	10@3,424#		
124'	GLCSLX2000-20 (S or AL)-124	2000	Steel	30'	2-7/8	8-1/8	18'	27-3/4	25-5/8	30-1/4	14-7/8	3-1/2	18	54	16-1/8	10@3,518#		

*This column provides the total number of support hangers with the corresponding vertical load applied by each support hanger (in pounds) based on the "L1" dimensions shown. Up to a 20" hanger drop will be provided by Gorbel. Additional hanger points or longer drops can be provided at an additional charge.

Gorbel Work Station Bridge Crane kits include: bridge, runways, hoist trolley, end trucks, end stops, flat wire festooning, festoon gliders (festoon trolleys on steel runway lengths greater than 63' and all aluminum systems), festoon stack-up section, splice joints and hanger brackets. Sway bracing is required on all systems except flush mounted systems (by others). Sway bracing kits are available but are not included in the crane kit.

Dimensions are for reference only and are subject to change without notice.

CEILING MOUNTED WORK STATION BRIDGE CRANES - 2000# CAPACITY

BRIDGE LENGTH (L)	RUNWAY LENGTH	MODEL NUMBER	TRACK SERIES	TRACK MATL.	MAX. L1	BRIDGE								RUNWAY				
						T1	L3	L4	L6	H3	H3A	H4	H2	H1	L7	L8	HANGERS	
						in	in	ft	in	in	in	in	in	in	in	in	(See Note)*	
23'	23'	GLC2000-23 (S or AL)-23 GLCS2000-23 (S or AL)-23 AL2000-23-23	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	21' 21' 20'	24 24 31-1/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 15-3/4	3-1/2 3-1/2 13-1/8	- 12 -	9 9 13	16-1/8 16-1/8 17	10@3,910# 4@3,263# 4@3,123#	
	28'	GLCSL2000-23 (S or AL)-28	2000	Steel	25'	2-7/8	8-1/8	21'	24	23	27-5/8	14-7/8	3-1/2	15-3/8	13	16-1/8	4@3,449#	
	33'	GLC2000-23 (S or AL)-33 GLCS2000-23 (S or AL)-33 AL2000-23-33	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	21' 21' 20'	24 24 31-1/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 15-3/4	3-1/2 3-1/2 13-1/8	- 12 -	13 13 19	16-1/8 16-1/8 17	14@3,019# 6@3,263# 6@3,123#	
	34'	GLCSLX2000-23 (S or AL)-34	2000	Steel	30'	2-7/8	8-1/8	21'	24	25-5/8	30-1/4	14-7/8	3-1/2	18	13	16-1/8	4@3,543#	
	43'	GLC2000-23 (S or AL)-43 GLCS2000-23 (S or AL)-43 AL2000-23-43	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	21' 21' 20'	24 24 31-1/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 15-3/4	3-1/2 3-1/2 13-1/8	- 12 -	19 19 26	16-1/8 16-1/8 17	18@3,019# 6@3,263# 6@3,123#	
	53'	GLC2000-23 (S or AL)-53 GLCS2000-23 (S or AL)-53 AL2000-23-53	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	21' 21' 20'	24 24 31-1/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 15-3/4	3-1/2 3-1/2 13-1/8	- 12 -	19 19 30	16-1/8 16-1/8 17	22@3,019# 8@3,263# 8@3,123#	
	63'	GLC2000-23 (S or AL)-63 GLCS2000-23 (S or AL)-63 AL2000-23-63	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	21' 21' 20'	24 24 31-1/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 15-3/4	3-1/2 3-1/2 13-1/8	- 12 -	26 26 36	16-1/8 16-1/8 17	26@3,019# 8@3,263# 8@3,123#	
	64'	GLCSLX2000-23 (S or AL)-64	2000	Steel	30'	2-7/8	8-1/8	21'	31-1/8	25-5/8	30-1/4	14-7/8	3-1/2	18	36	16-1/8	6@3,543#	
	78'	GLCSL2000-23 (S or AL)-78	2000	Steel	25'	2-7/8	8-1/8	21'	31-1/8	23	27-5/8	14-7/8	3-1/2	15-3/8	46	16-1/8	8@3,449#	
	83'	GLC2000-23 (S or AL)-83 GLCS2000-23 (S or AL)-83 AL2000-23-83	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	21' 21' 20'	31-1/8 31-1/8 31-1/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 15-3/4	3-1/2 3-1/2 13-1/8	- 12 -	46 46 46	16-1/8 16-1/8 17	34@3,019# 10@3,263# 10@3,123#	
	94'	GLCSLX2000-23 (S or AL)-94	2000	Steel	30'	2-7/8	8-1/8	21'	31-1/8	25-5/8	30-1/4	14-7/8	3-1/2	18	54	16-1/8	8@3,543#	
	103'	GLC2000-23 (S or AL)-103 GLCS2000-23 (S or AL)-103 AL2000-23-103	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	21' 21' 20'	31-1/8 31-1/8 31-1/8	11-1/8 19-5/8 25-3/8	15-3/4 24-1/4 -	14-7/8 14-7/8 15-3/4	3-1/2 3-1/2 13-1/8	- 12 -	54 54 54	16-1/8 16-1/8 17	42@3,019# 12@3,263# 12@3,123#	
124'	GLCSLX2000-23 (S or AL)-124	2000	Steel	30'	2-7/8	8-1/8	21'	31-1/8	25-5/8	30-1/4	14-7/8	3-1/2	18	54	16-1/8	8@3,543#		
28'	23'	GLC2000-28 (S or AL)-23 GLCS2000-28 (S or AL)-23 AL2000-28-23	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	25' 25' 20'	34-1/2 34-1/2 37-7/8	14 22-1/2 26-1/4	17-7/8 26-1/2 -	18-1/4 18-1/4 17-1/4	3-1/2 3-1/2 14-5/8	- 12 -	9 9 13	33-1/8 33-1/8 33-1/8	10@3,092# 4@3,335# 4@3,123#	
	28'	GLCSL2000-28 (S or AL)-28	2000	Steel	25'	2-7/8	8-1/8	25'	34-1/2	25-7/8	29-7/8	18-1/4	3-1/2	15-3/8	13	33-1/8	4@3,506#	
	33'	GLC2000-28 (S or AL)-33 GLCS2000-28 (S or AL)-33 AL2000-28-33	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	25' 25' 20'	34-1/2 34-1/2 37-7/8	14 22-1/2 26-1/4	17-7/8 26-1/2 -	18-1/4 18-1/4 17-1/4	3-1/2 3-1/2 14-5/8	- 12 -	13 13 19	33-1/8 33-1/8 33-1/8	14@3,092# 6@3,335# 6@3,123#	
	34'	GLCSLX2000-28 (S or AL)-34	2000	Steel	30'	2-7/8	8-1/8	25'	34-1/2	28-1/2	32-1/2	18-1/4	3-1/2	18	13	33-1/8	4@3,600#	
	43'	GLC2000-28 (S or AL)-43 GLCS2000-28 (S or AL)-43 AL2000-28-43	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	25' 25' 20'	34-1/2 34-1/2 37-7/8	14 22-1/2 26-1/4	17-7/8 26-1/2 -	18-1/4 18-1/4 17-1/4	3-1/2 3-1/2 14-5/8	- 12 -	19 19 26	33-1/8 33-1/8 33-1/8	18@3,092# 6@3,335# 6@3,123#	
	53'	GLC2000-28 (S or AL)-53 GLCS2000-28 (S or AL)-53 AL2000-28-53	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	25' 25' 20'	34-1/2 34-1/2 37-7/8	14 22-1/2 26-1/4	17-7/8 26-1/2 -	18-1/4 18-1/4 17-1/4	3-1/2 3-1/2 14-5/8	- 12 -	19 19 30	33-1/8 33-1/8 33-1/8	22@3,092# 8@3,335# 8@3,123#	
	63'	GLC2000-28 (S or AL)-63 GLCS2000-28 (S or AL)-63 AL2000-28-63	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	25' 25' 20'	34-1/2 34-1/2 37-7/8	14 22-1/2 26-1/4	17-7/8 26-1/2 -	18-1/4 18-1/4 17-1/4	3-1/2 3-1/2 14-5/8	- 12 -	26 26 36	33-1/8 33-1/8 33-1/8	26@3,092# 8@3,335# 8@3,123#	
	64'	GLCSLX2000-28 (S or AL)-64	2000	Steel	30'	2-7/8	8-1/8	25'	37-7/8	28-1/2	32-1/2	18-1/4	3-1/2	18	36	33-1/8	6@3,600#	
	78'	GLCSL2000-28 (S or AL)-78	2000	Steel	25'	2-7/8	8-1/8	25'	37-7/8	25-7/8	29-7/8	18-1/4	3-1/2	15-3/8	46	33-1/8	8@3,506#	
	83'	GLC2000-28 (S or AL)-83 GLCS2000-28 (S or AL)-83 AL2000-28-83	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	25' 25' 20'	37-7/8 37-7/8 37-7/8	14 22-1/2 26-1/4	17-7/8 26-1/2 -	18-1/4 18-1/4 17-1/4	3-1/2 3-1/2 14-5/8	- 12 -	46 46 46	33-1/8 33-1/8 33-1/8	34@3,092# 10@3,335# 10@3,123#	
	94'	GLCSLX2000-28 (S or AL)-94	2000	Steel	30'	2-7/8	8-1/8	25'	37-7/8	28-1/2	32-1/2	18-1/4	3-1/2	18	54	33-1/8	8@3,600#	
	103'	GLC2000-28 (S or AL)-103 GLCS2000-28 (S or AL)-103 AL2000-28-103	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	25' 25' 20'	37-7/8 37-7/8 37-7/8	14 22-1/2 26-1/4	17-7/8 26-1/2 -	18-1/4 18-1/4 17-1/4	3-1/2 3-1/2 14-5/8	- 12 -	54 54 54	33-1/8 33-1/8 33-1/8	42@3,092# 12@3,335# 12@3,123#	
124'	GLCSLX2000-28 (S or AL)-124	2000	Steel	30'	2-7/8	8-1/8	25'	37-7/8	28-1/2	32-1/2	18-1/4	3-1/2	18	54	33-1/8	10@3,600#		

*This column provides the total number of support hangers with the corresponding vertical load applied by each support hanger (in pounds) based on the "L1" dimensions shown. Up to a 20" hanger drop will be provided by Gorbel. Additional hanger points or longer drops can be provided at an additional charge.

Gorbel Work Station Bridge Crane kits include: bridge, runways, hoist trolley, end trucks, end stops, flat wire festooning, festoon gliders (festoon trolleys on steel runway lengths greater than 63' and all aluminum systems), festoon stack-up section, splice joints and hanger brackets. Sway bracing is required on all systems except flush mounted systems (by others). Sway bracing kits are available but are not included in the crane kit.

Dimensions are for reference only and are subject to change without notice.

CEILING MOUNTED WORK STATION BRIDGE CRANES - 2000# CAPACITY

BRIDGE LENGTH (L)	RUNWAY LENGTH	MODEL NUMBER	TRACK SERIES	TRACK MATL.	MAX. L1	BRIDGE								RUNWAY				
						T1	L3	L4	L6	H3	H3A	H4	H2	H1	L7	L8	HANGERS	
						in	in	ft	in	in	in	in	in	in	in	in	(See Note)*	
34'	28'	GLCSL2000-34 (S or AL)-28	2000	Steel	25'	2-7/8	8-1/8	30'	40-1/2	25-7/8	29-7/8	20-7/8	3-1/2	15-3/8	13	33-1/8	4@3,562#	
	33'	GLC2000-34 (S or AL)-33	2000	Steel	6'	2-7/8	8-1/8	30'	40-1/2	14	17-7/8	20-7/8	3-1/2	-	13	33-1/8	14@3,148#	
		GLCS2000-34 (S or AL)-33 AL2000-34-33	2000 2000	Steel Alum.	20' 20'	2-7/8 2-5/8	8-1/8 8-1/8	30' 20'	40-1/2 44-5/8	22-1/2 26-1/4	26-1/2 -	20-7/8 18-1/8	3-1/2 15-1/2	12 -	13 19	33-1/8 33-1/8	14@3,391# 6@3,123#	
	34'	GLCSLX2000-34 (S or AL)-34	2000	Steel	30'	2-7/8	8-1/8	30'	40-1/2	28-1/2	32-1/2	20-7/8	3-1/2	18	13	33-1/8	4@3,656#	
	43'	GLC2000-34 (S or AL)-43	2000	Steel	6'	2-7/8	8-1/8	30'	40-1/2	14	17-7/8	20-7/8	3-1/2	-	19	33-1/8	18@3,148#	
		GLCS2000-34 (S or AL)-43 AL2000-34-43	2000 2000	Steel Alum.	20' 20'	2-7/8 2-5/8	8-1/8 8-1/8	30' 20'	40-1/2 44-5/8	22-1/2 26-1/4	26-1/2 -	20-7/8 18-1/8	3-1/2 15-1/2	12 -	19 26	33-1/8 33-1/8	18@3,391# 6@3,123#	
	53'	GLC2000-34 (S or AL)-53	2000	Steel	6'	2-7/8	8-1/8	30'	40-1/2	14	17-7/8	20-7/8	3-1/2	-	19	33-1/8	22@3,148#	
		GLCS2000-34 (S or AL)-53 AL2000-34-53	2000 2000	Steel Alum.	20' 20'	2-7/8 2-5/8	8-1/8 8-1/8	30' 20'	40-1/2 44-5/8	22-1/2 26-1/4	26-1/2 -	20-7/8 18-1/8	3-1/2 15-1/2	12 -	19 30	33-1/8 33-1/8	22@3,391# 8@3,123#	
	63'	GLCSL2000-34 (S or AL)-53	2000	Steel	25'	2-7/8	8-1/8	30'	40-1/2	25-7/8	29-7/8	20-7/8	3-1/2	15-3/8	19	33-1/8	6@3,562#	
		GLC2000-34 (S or AL)-63 GLCS2000-34 (S or AL)-63 AL2000-34-63	2000 2000 2000	Steel Steel Alum.	6' 20' 20'	2-7/8 2-7/8 2-5/8	8-1/8 8-1/8 8-1/8	30' 30' 20'	40-1/2 40-1/2 44-5/8	14 22-1/2 26-1/4	17-7/8 26-1/2 -	20-7/8 20-7/8 18-1/8	3-1/2 3-1/2 15-1/2	12 -	26 26 36	33-1/8 33-1/8 33-1/8	26@3,148# 8@3,391# 8@3,123#	
	64'	GLCSLX2000-34 (S or AL)-64	2000	Steel	30'	2-7/8	8-1/8	30'	44-5/8	28-1/2	32-1/2	20-7/8	3-1/2	18	36	33-1/8	6@3,656#	
	78'	GLCSLX2000-34 (S or AL)-78	2000	Steel	25'	2-7/8	8-1/8	30'	44-5/8	25-7/8	29-7/8	20-7/8	3-1/2	15-3/8	46	33-1/8	8@3,562#	
	83'	GLC2000-34 (S or AL)-83	2000	Steel	6'	2-7/8	8-1/8	30'	44-5/8	14	17-7/8	20-7/8	3-1/2	-	46	33-1/8	34@3,148#	
		GLCS2000-34 (S or AL)-83 AL2000-34-83	2000 2000	Steel Alum.	20' 20'	2-7/8 2-5/8	8-1/8 8-1/8	30' 20'	44-5/8 44-5/8	22-1/2 26-1/4	26-1/2 -	20-7/8 18-1/8	3-1/2 15-1/2	12 -	46 46	33-1/8 33-1/8	34@3,391# 10@3,123#	
	94'	GLCSLX2000-34 (S or AL)-94	2000	Steel	30'	2-7/8	8-1/8	30'	44-5/8	28-1/2	32-1/2	20-7/8	3-1/2	18	54	33-1/8	8@3,656#	
103'	GLC2000-34 (S or AL)-103	2000	Steel	6'	2-7/8	8-1/8	30'	44-5/8	14	17-7/8	20-7/8	3-1/2	-	54	33-1/8	42@3,148#		
	GLCS2000-34 (S or AL)-103 AL2000-34-103	2000 2000	Steel Alum.	20' 20'	2-7/8 2-5/8	8-1/8 8-1/8	30' 20'	44-5/8 44-5/8	22-1/2 26-1/4	26-1/2 -	20-7/8 18-1/8	3-1/2 15-1/2	12 -	54 54	33-1/8 33-1/8	12@3,391# 12@3,123#		
124'	GLCSLX2000-34 (S or AL)-124	2000	Steel	25'	2-7/8	8-1/8	30'	44-5/8	25-7/8	29-7/8	20-7/8	3-1/2	15-3/8	54	33-1/8	10@3,562#		
			2000	Steel	30'	2-7/8	8-1/8	30'	44-5/8	28-1/2	32-1/2	20-7/8	3-1/2	18	54	33-1/8	10@3,656#	

*This column provides the total number of support hangers with the corresponding vertical load applied by each support hanger (in pounds) based on the "L1" dimensions shown. Up to a 20" hanger drop will be provided by Gorbel. Additional hanger points or longer drops can be provided at an additional charge.

Gorbel Work Station Bridge Crane kits include: bridge, runways, hoist trolley, end trucks, end stops, flat wire festooning, festoon gliders (festoon trolleys on steel runway lengths greater than 63' and all aluminum systems), festoon stack-up section, splice joints and hanger brackets. Sway bracing is required on all systems except flush mounted systems (by others). Sway bracing kits are available but are not included in the crane kit.

Dimensions are for reference only and are subject to change without notice.